



| | |
|-----------------|---|
| Product model | SD890-41E (J4125) |
| processor | Integrated Intel®Celeron J4125 2.0GHz quad-core quad-thread processor,TDP 10W Compatible with the full range of Intel® Gemini Lake cpus, customers can choose flexibly |
| chipset | SOC |
| Internal memory | 1* SODIMM slot for a single channel of 2400MHz DDR4 memory (up to 8GB) |
| display | Integrated Intel® UHD Graphics 600 core graphics card,1* VGA display output |
| network | 4* Intel I210 Gigabit network adapter, supporting network wake up, |

| | |
|----------------------------|---|
| | PXE functions |
| storage | 1* SATA 2.5-inch laptop hard disk, can be directly installed hard disk, transmission speed up to 6Gbps |
| | 1* standard 7-pin SATA hard drive interface (optional with 2.5-inch hard drive) |
| | 1* MSATA slot, support Intel protocol SSD, transmission speed up to 6Gbps |
| Expansion slot | 1* Mini-PCIE slot, support WIFI, 4G module, |
| I/O ports on the backplane | 1* 12V DC power input port |
| | 4* RJ-45 Gigabit network interface |
| | 1* standard RJ-45 serial port |
| | 2* USB 2.0 port |
| | 1* Power switch |
| | 2* hard disk indicator, 2* power indicator |
| | 4* Network indicator, 4* network data transmission indicator |
| Built-in I/O interface | 1* 4pin ATX power interface (12V input/output power interface) |
| | 4* USB 2.0 interface 2*5Pin |
| | 1 x JVGA port 1 x 12 pin |
| | 1* Network indicator 2*8Pin |
| | 1* Front panel switch button and indicator port 2*5Pin |
| | 1* hard drive power port 1*4pin |
| | 1* SIM card seat |
| Fan interface | Fan less cooling design, reserved 1*4pin CPU fan port, 1*4pin system fan port |
| GPIO | Supports four input/output GPIO |
| BIOS | AMI 64Mb Flash ROM |
| Guard dog | Support hardware reset function (256 level, 0~255 seconds) |
| Operating system | Windows 10/Linux |
| Power supply type | Adopts DC 12V power supply |
| Operating | -10°C to 60°C |

| | |
|---------------------|--|
| temperature | |
| Storage temperature | -20°C to 70°C |
| Working humidity | 5%-95% relative humidity, no condensation |
| dimension | 170mm * 170mm |

